

# Bacteria TMDLs in the Cedar and Licking Run Watersheds

Second Public Meeting October 23, 2003



#### **Presentation Overview**

- 1. Overview of Virginia's TMDL Program
- 2. Applicable Water Quality Standard
- 3. Cedar and Licking Run Impairments

#### What is a TMDL?

- TMDL stands for Total Maximum Daily Load
- A TMDL is a pollution budget
- A TMDL is a calculation of the maximum amount of a pollutant that a waterbody can receive and still meet water quality standards
- A TMDL includes an **allocation** of that maximum amount to the pollutant's sources

## TMDL Equation

A TMDL is summarized as:

TMDL = Sum of WLA + Sum of LA + MOS

#### Where:

- TMDL = Total Maximum Daily Load
- WLA = Waste Load Allocation (point sources)
- LA = Load Allocation (nonpoint sources)
- MOS = Margin of Safety

### How is a TMDL developed?

- Identify all sources of a given pollutant within the watershed
- Calculate the amount of pollutant entering the stream from each source
- Calculate the pollutant reductions needed, by source, to attain water quality standards
- Allocate the allowable loading to each source and include a margin of safety

#### When are TMDLs needed?

- State and federal law require TMDLs to be developed for **impaired** waters
- Impaired waters do not meet applicable water quality standards (WQS)
- Waters that do not meet WQS do not support their designated use(s)
- For bacteria impairments, the designated use that is affected is the **recreational use**

### Regulatory Basis of TMDLs

- TMDLs required by Federal and State law
  - 1972 Clean Water Act (CWA), Section 303(d)
  - 1997 Water Quality Monitoring, Information and Restoration Act (WQMIRA)
- 1998 lawsuit filed by the American Canoe Association and the American Littoral Society against EPA for failure to comply with CWA §303(d) in Virginia
- 1999 Consent Decree requiring EPA and Virginia to complete 636 TMDLs by 2010

# Regulatory Requirements

- Both state and federal law require:
  - Establishment of water quality standards
  - Monitoring of water quality in surface waters
  - Assessment of water quality in surface waters
  - Listing of waters that do not meet water quality standards (impaired waters)
  - Development of TMDLs for impaired waters
- State law requires, and federal law recommends:
  - Development of a TMDL Implementation Plan

# Roles of DEQ and DCR in TMDL and IP Development

- DEQ is the lead for TMDL development, including submittal to EPA
- DCR is the lead for TMDL Implementation Plan (IP) development
- DEQ is responsible for ensuring public participation in the TMDL program

#### **Presentation Overview**

- 1. Overview of Virginia's TMDL Program
- 2. Applicable Water Quality Standard
- 3. Cedar and Licking Run Impairments

## Water Quality Standards

- Water Quality Standards (WQS):
  - set by states and approved by EPA
  - set numeric and narrative limits on pollutants
  - consist of designated use(s) and water quality
     criteria
- Purpose of WQS:
  - protection of 5 designated uses (aquatic life, fish consumption, shellfish, recreation, drinking water)
  - restoration of state waters to meet criteria

## **Applicable Designated Use**


- All surface waters in Virginia are currently designated for **primary contact recreation** (e.g. swimming)
- In March 2003, a secondary contact recreation use designation (e.g. wading, fishing) was added to the WQS
  - Five times the primary contact criteria
  - Individual waters will only be considered for reclassification after TMDL implementation has been tried using reasonable BMPs
  - Effective date pending EPA approval

#### **Pollutant of Concern**

- Fecal bacteria are found in the digestive tract of humans and warm blooded animals
- Fecal bacteria are an indicator of the potential presence of pathogens in waterbodies
- The presence of fecal bacteria in water samples is a strong indicator of recent sewage or animal waste contamination

## Sampling for Bacteria

- Stream samples are collected in sterile 125 mL sample bottles
- Samples are filtered to deposit bacteria on filters
- Filters are incubated, allowing individual bacteria to grow into visible colonies
- Colonies are counted to give a concentration of colony forming units (cfu) per 100 mL



#### **Old Criteria**

- Indicator species: fecal coliform
  - used in listing Cedar and Licking Runs
- Instantaneous max: 1,000 cfu/100 mL
- Applicable for data sets with 1 or fewer samples in 30 days
- Used in water quality assessment because monitoring is usually conducted bimonthly

- Geometric mean:
   200 cfu/100 mL
- Applicable for data sets with 2 or more samples in 30 days
- Used in TMDL
   development because
   model output is
   usually daily

#### **New Criteria**

- Indicator species for freshwater: *E. coli* 
  - change in indicator species from fecal coliform to *E. coli* (fresh water)
  - E. coli bacteria are a subset of fecal coliform bacteria and correlate better with swimming-associated illness
- Instantaneous max:
   235 cfu/100 mL
- Applicable for all data sets; no samples may exceed the maximum
- Geometric mean:
   126 cfu/100 mL
- Applicable for data sets with 2 or more samples in a calendar month

#### **Interim Criteria**

- Indicator species: fecal coliform
  - will be phased out when 12 *E. coli* observations available or after June 30, 2008, whichever comes first
  - will not be used to assess compliance
- Instantaneous max: 400 cfu/100 mL
- Applicable for all data sets; no more than 10% of samples in a calendar month may exceed the maximum
- Geometric mean: 200 cfu/100 mL
- Applicable for data sets with 2 or more samples in a calendar month

# **Summary of Changes in Primary Contact Criteria**

Indicator	Status	Instantaneous Maximum (cfu/100mL)	Geometric Mean (cfu/100 mL)
Fecal Coliform	Old	1,000	200
E. coli	New	235	126
Fecal Coliform	Interim	400	200

- Changes went into effect on January 15, 2003
- Both New *E. coli* and Interim Fecal Coliform criteria apply
- Fecal coliform criteria will be phased out entirely once 12 *E. coli* samples have been collected or after June 30, 2008

# Comparison of the Old Fecal Coliform and New *E. coli* Criteria

Old FC (cfu/100mL)	Interim FC (cfu/100mL)	FC translated to EC* (cfu/100mL)	New EC (cfu/100mL)
200	200	129	126
	400	243	235
1,000		565	

<sup>\*</sup> Based on regression model between 493 dual data points

Note: FC = Fecal Coliform, EC = *Escherichia Coli* 


#### **Presentation Overview**

- 1. Overview of Virginia's TMDL Program
- 2. Applicable Water Quality Standard
- 3. Cedar and Licking Run Impairments

# Impairments in the Cedar and Licking Run Watersheds

WATER	CAUSE	STREAM	LENGTH	YEARS
BODY		NAME	(Miles)	LISTED
VAN-A17R,	Bacteria	Cedar Run (from Mill Run	28.32	1996,
VAN-A18R		to Occoquan River)		1998,
				2002
VAN-A17R	Bacteria	Licking Run (from mouth of	6.58	1998,
		Germantown Lake to		2002
		Cedar Run)		

### Map of the Cedar Run Watershed



# 2002 Water Quality Assessment Results for Bacteria

	Monitoring		Fecal			
WBID	Station	Type*	Coliform**			
N-A17R	1aCER016.46	A,B	4	1	24	Р
N-A17R	1aCER025.25	Α	5	/	23	Р
N-A17R	1aLIL001.43	Α	5	/	<b>24</b>	Р
N-A18R	1aCER006.00	Α	10	1	49	Р
N-A18R	1aCER009.52	SS	3	1	11	N

<sup>\*</sup> Station Types: A = ambient, B = biological, SS = special study

<sup>\*\*</sup> Impairment Status: P = partially supporting, N = not supporting


# Bacteria Source Tracking (BST) Study on Cedar and Licking Runs

- Monthly sampling for both *E. coli* and Fecal Coliform began at 6 stations in August 2002
- 12 samples will be collected at each station
- DEQ collects ambient samples and ships them to MapTech's Environmental Diagnostics Laboratory (EDL) for analysis
- Upon completion of the BST Study, the Fecal Coliform standard will no longer apply

# **BST Study Stations**

Station ID	Location	County	Latitude	Longitude
1aLIL001.43	Rt. 616 (Bristersburg Rd.)	Fauquier	38° 37' 15"	-77° 39' 30"
1aLIL008.23	Rt. # 663 (Balls Mill Rd.)	Fauquier	38° 37' 48"	-77° 44' 25"
1aCER006.00	Rt. 646 (Aden Rd.)	Prince William	38° 38' 29"	-77° 30' 44"
1aCER009.52	Rt. 611 (Fleetwood Dr.)	Prince William	38° 36' 57"	-77° 33' 17"
1aCER016.46	Rt. 806 (Elk Run Rd.)	Fauquier	38° 38' 12"	-77° 37' 34"
1aCER025.25	Rt. 602 (Rogues Rd.)	Fauquier	38° 42' 9"	-77° 42' 7"

## **Map of BST Study Stations**



# **DEQ BST Study Objectives**

- Simultaneous enumeration of E. coli and Fecal Coliform in ambient water samples
- Collection of samples from known sources
- Antibiotic Resistance Analysis (ARA) of known samples to build a source library
- Identification of sources contributing to each ambient sample using ARA and comparing results to the source library

## **DEQ BST Study Status**

- Sampling complete at stations on Cedar Run
  - BST report anticipated November 2003
- Licking Run sampling will be complete in December 2003
  - Sampling delayed due to drought

# Bacteria TMDLs in the Cedar and Licking Run Watersheds

- First public Meeting
  - July 10, 2003, Catlett, VA
- Second Public Meeting
  - October 23, 2003, Nokesville, VA
- Final public meeting
  - January 2004, draft report will be available for public comment
- http://www.deq.state.va.us/tmdl/

# Bacteria TMDLs in the Cedar and Licking Run Watersheds

Kate Bennett

Regional TMDL Coordinator

Northern Virginia Regional Office

VA Department of Environmental Quality

13901 Crown Ct.

Woodbridge, VA 22193

Phone: (703) 583-3896

Fax: (703) 583-3841

E-mail: kebennett@deq.state.va.us

